

WATER HEATER
NEW RANGE 2025



HAVELLS WATER HEATER
ENGINEERED FOR HARD WATER

FASTER | SAFER | SAVES



ENGINEERED FOR HARD WATER



FASTER



SAFER



SAVES

RANGE OF INSTANT & STORAGE WATER HEATERS



ABOUT US

REDEFINING THE MODERN HOMES WITH INNOVATION AND EXCELLENCE

Havells is at the forefront of transforming modern living spaces by offering innovative solutions that elevate everyday experiences. With a deep understanding of consumer needs, the company has expanded its footprint across every aspect of home life, creating environment that are not only functional but also comfortable, stylish, and future-ready. To make these solutions accessible, Havells leverages an extensive distribution network encompassing 18,000 dealers, over 1,000 exclusive brand stores, intensifying presence in modern retail, e-commerce and quick commerce.

The company's portfolio includes power brands like Havells, Havells Crabtree, Lloyd, REO, Havells Studio, and Standard each designed to cater to the unique demands of today's consumers.

Anchored in the 'Make in India' initiative, Havells operates 16 cutting-edge manufacturing facilities across India, producing 90% of its products in-house. At the forefront of Havells product evolution lies its Customer Experience & Designs (CXD) Studio, where creativity and user-centric design converge. This is complemented by its Centre for Research & Innovation (CRI), supported by four advanced R&D centres, enabling Havells to consistently deliver products that are both functional and visually compelling.

Driven by a commitment to innovation, quality, and design, the company also upholds sustainable practices throughout its operations, including eco-friendly manufacturing processes and energy-efficient product design, contributing to a greener and more sustainable future.



CORPORATE OFFICE, NOIDA



State-of-the-Art Manufacturing Unit

Customer Experience & Design



Industry 4.0 Process



Center For Research & Innovation

16 Manufacturing Units

~18000 Strong Dealer Network

4 Research Centres

48 Offices



INDIA'S MOST MODERN AND INTEGRATED MANUFACTURING PLANT FOR WATER HEATERS

The Water Heater plant is the crown jewel in our jewellery box. Located in Neemrana, we pride ourselves on having India's most modern and integrated Water Heaters manufacturing plant with a capacity of producing 14 lakhs Water Heaters annually. Housing a state-of-the-art testing laboratory and equipped with technology like an automatic MIG welding, dry powder enamel coating, automatic PUF filling and outer body-rolling for metal range. It also has a computerized online safety testing process that makes sure every Havells Water Heater is safe and secure for your use.

INNOVATION AT ITS BEST.

Today, Havells Water Heaters meet diverse individual needs across the country. Havells pioneered in introducing state-of-the-art, "Adonia" Water Heater with first ever color changing LED indicating change in temperature. that has revolutionized India's energy efficient Water Heaters.

Keeping up with the tradition of making a difference, Havells introduces Magnatron, a state-of-the-art Water Heater with Innovative Technology, Stylish Design & Advanced Features. Its innovative element free, Induction Heat Transfer Technology (iHTT) uses electromagnetic waves to heat water without a Heating Element. It allows faster heating with less electricity consumption and long-lasting efficient performance.

Havells also introduces the Dual Element concept into many models in Water Heater Range, which is flexible and intelligent. With a unique flexible wattage setting options, this water heater is indeed there to adjust basis your demands. Switch between 3 heating modes of 1 kW, 2 kW, and 3 kW for quicker, energy-efficient hot water. At 3 kW 33% faster Heating can be achieved.



WHY HAVELLS WATER HEATER?



FASTER



SAFER




SAVES



LONG LIFE

FASTER

Havells water heaters saves your precious time with fast heating. With Less wait time – enjoy the convenience of hot water whenever you need it.



MAGNATRON WATER HEATER

10-12 min or 25% faster heating in Magnatron Water Heater because of patented induction technology. No Heating element inside water Heater, Minimal scaling and uniform heating throughout life of water Heater.



3-IN-1 CONVERTIBLE DUAL ELEMENT WATER HEATER

33% faster heating in Dual element Water heater because of 2 heating elements. 3 Heating models of 1 kW, 2 kW and 3 kW. For faster Heating water heater can be operated at 3 kW.



INCOLOY GLASS COATED HEATING ELEMENT

Incoloy glass coated heating element resist corrosion against extreme hard water conditions & helps in providing superior & fast heating with minimal scaling.



MCOLOY HEATING ELEMENT

Mcoloy Heating element provides quick heating and high performance with its excellent heat transfer ability and enhanced durability.

SAFER

Safety is paramount when it comes to water heaters. A safe water heater protects you and your family from potential hazards like overheating, electrical issues, and scalding. Peace of mind comes from knowing Havells water heater is designed with top-notch safety features.



SHOCK SAFE PLUG*

India's first integrated shock safe plug is designed to prevent injury to humans due to electric shocks, the plug will cut off the power immediately in case of any current leakage.



0.8 Mpa HIGH WORKING PRESSURE

Suitable for high rise buildings. The multi function valve prevents pressure to increase beyond 8 bar.




FIRE RETARDANT POWER CORD

It resists ignition and prevents fire spread, ensuring enhanced safety during water heating.



WATER RESISTANCE AND SPLASH PROOF (IPX4)

Ensures high level of protection for electrical parts from water splashing



HIGH PRECISION THERMOSTAT & CUT OUT

Controls Water Temperature & Prevents the Water Heater from overheating by activating and deactivating the Heating element




DUAL SAFETY ADAPTER

Protects against fire and electric shock by ensuring safe current flow.

*Available in selected models


SAVES

Energy efficiency in water heaters translates to significant savings on your Electricity bills. Havells water heater not only reduces your expenses but also minimizes your environmental footprint, making it a smart and eco-friendly choice.



HIGH DENSITY PUF INSULATION

CFC free thicker PUF insulation offers complete protection against radiant heat loss, reduces energy consumption and provides higher energy efficiency.



WHIRLFLOW TECHNOLOGY

It avoids direct contact between cold and hot water flow for a faster heating and optimized energy saving effecting 20% more hot water output.

LONG LIFE

A durable water heater means fewer replacements and repairs, providing long-term reliability and cost savings. Havells water heater ensures a long lifespan, consistent performance and peace of mind for years to come.



FEROGLAS COATED INNER CONTAINER

Provides superior corrosion resistance and 'anti-rust property' resulting in longer life compared to standard inner container designs, also able to withstand high pressure up to 8 bar.






HEAVY DUTY PROTECTIVE ANODE ROD

The tank has an anode rod with a stainless-steel core that is designed to protect the tank from corrosive elements.

MAGNATRON PRIME

INDUCTION TECHNOLOGY



Capacity	15 L	25 L
A	380 mm	400 mm
B	501 mm	560 mm
C	374 mm	413 mm
D	62 mm	62 mm

MAGNATRON PRIME

ELECTRIC STORAGE WATER HEATER

25%*
FASTER HEATING



 Saves
Rs. 30 000/-
IN 5 YEAR SPAN

 Patented
Technology

CAPACITY : 15 L & 25 L
COLOR : WHITE BLUE

2 YEAR
COMPREHENSIVE
WARRANTY

5 YEAR WARRANTY
ON INDUCTION
COIL

7 YEAR PRODUCT
REPLACEMENT
WARRANTY*



FASTER



Induction
Technology



Scaling
Resistant

SAFER



No Heating
Element



Dry Heat
Protection



Fire Retardant
Power Cord



High Working
Pressure
0.8Mpa



Dual Safety
Adapter

SAVES



25%
Energy Saving



High Density
PUF Insulation



Whirlflow
Technology

LONG LIFE



Ferroglass Coated
Inner Container



Heavy Duty
Protective
Anode Rod



Long lasting
Heating
efficiency

SMART



Remote control
Easy operation



Smart Mode
Setting



Eco Mode






Digital
Temperature
Display

*In case of Tank leakage

MAGNATRON PRO

INDUCTION TECHNOLOGY



Capacity	15 L	25 L
A	380 mm	400 mm
B	501 mm	560 mm
C	374 mm	413 mm
D	62 mm	62 mm

MAGNATRON PRO

ELECTRIC STORAGE WATER HEATER

**25%
FASTER
HEATING**



**Saves
Rs. 30 000/-
IN 5 YEAR SPAN**

**Patented
Technology**

**CAPACITY : 15 L & 25 L
COLOR : WHITE BLUE**

2 YEAR
COMPREHENSIVE
WARRANTY

5 YEAR WARRANTY
ON INDUCTION
COIL

7 YEAR PRODUCT
REPLACEMENT
WARRANTY*



FASTER



Induction
Technology



Scaling
Resistant



No Heating
Element



Dry Heat
Protection



Fire Retardant
Power Cord



High Working
Pressure
0.8Mpa

SAVES



25%
Energy Saving



Dual LED Indicator
(Warm & Hot)



High Density
PUF Insulation



Whirlflow
Technology

LONG LIFE



Ferroglass Coated
Inner Container



Heavy Duty
Protective
Anode Rod






Long lasting
Heating
efficiency

*In case of Tank leakage

BIANCA+

DUAL ELEMENT



Capacity	10 L	15 L	25 L
A	412 mm	412 mm	466 mm
B	420 mm	420 mm	476 mm
C	271 mm	340 mm	377 mm
D	172 mm	172 mm	172 mm



33%*
FASTER HEATING

CAPACITY : 10L, 15 L & 25 L
COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



5 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*



FASTER



Dual Element
With 3 Heating
Modes



Incoloy Glass
Coated Heating
Element

SAFER



Shock
Safe Plug



Fire Retardant
Power Cord



High Working
Pressure
0.8Mpa



Dual Safety
Adapter

SAVES



High Density
PUF Insulation



Whirlflow
Technology



Dual
Adjustable
Knobs

LONG LIFE



Ferroglass Coated
Inner Container






Heavy Duty
Protective
Anode Rod

*In case of Tank leakage

VALERIO+

DUAL ELEMENT



Capacity	10 L	15 L	25 L
A	412 mm	412 mm	466 mm
B	420 mm	420 mm	476 mm
C	271 mm	340 mm	377 mm
D	172 mm	172 mm	172 mm



33%*
FASTER HEATING

CAPACITY : 10L, 15 L & 25 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

5 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*



FASTER



Dual Element With 3 Heating Modes



Incoloy Glass Coated Heating Element



Fire Retardant Power Cord



High Working Pressure 0.8Mpa



High Precision Thermostat & Cut Out



Dual Safety Adapter

SAVES



High Density PUF Insulation



Whirlflow Technology



Dual Adjustable Knobs

LONG LIFE



Ferroglass Coated Inner Container






Heavy Duty Protective Anode Rod

*In case of Tank leakage

GRETA DG+

DUAL ELEMENT



Capacity	15 L	25 L
A	411 mm	468 mm
B	410 mm	466 mm
C	343 mm	385 mm
D	68 mm	68 mm

Greta DG+

Dual Element

ELECTRIC STORAGE WATER HEATER



33%*
FASTER HEATING

CAPACITY : 15 L & 25 L
COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



5 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*



FASTER



Dual Element
With 3 Heating
Modes



Fire Retardant
Power Cord



High Density
PUF Insulation



Ferroglass Coated
Inner Container



Digital
Temperature
Display



Incoloy Glass
Coated Heating
Element



High Working
Pressure 0.8Mpa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod



Feather Touch
control Panel



High Precision
Thermostat &
Cut Out






Digital Adjustable
Temperature and
Heating mode
(wattage)



Dual Safety
Adapter

*In case of Tank leakage

GRETA PRIME



Capacity	10 L	15 L	25 L
A	411 mm	411 mm	468 mm
B	410 mm	410 mm	466 mm
C	298 mm	356 mm	398 mm
D	68 mm	68 mm	68 mm

Greta Prime

ELECTRIC STORAGE WATER HEATER



CAPACITY : 10, 15 L & 25 L
 COLOR : WHITE BLUE



2 YEAR
 COMPREHENSIVE
 WARRANTY



4 YEAR WARRANTY
 ON HEATING
 ELEMENT



7 YEAR PRODUCT
 REPLACEMENT
 WARRANTY*



FASTER



Mcoloy Heating
 Element

SAFER



Fire Retardant
 Power Cord

SAVES



High Density
 PUF Insulation

LONG LIFE



Ferroglass Coated
 Inner Container



High Working
 Pressure
 0.8Mpa



Whirlflow
 Technology



Heavy Duty
 Protective
 Anode Rod



High Precision
 Thermostat &
 Cut Out



Temperature
 setting knob






Dual Safety
 Adapter

*In case of Tank leakage

ORAZIO+

DUAL ELEMENT



Capacity	15 L	25 L
A	425 mm	482 mm
B	331 mm	363 mm
C	345 mm	373 mm
D	68 mm	68 mm

ORAZIO⁺

Dual Element

ELECTRIC STORAGE WATER HEATER



33%*
FASTER HEATING

CAPACITY : 15 L & 25 L
COLOR : WHITE GREY



2 YEAR
COMPREHENSIVE
WARRANTY



5 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*



FASTER



Dual Element
With 3 Heating
Modes



Incoloy Glass
Coated Heating
Element

SAFER



Fire Retardant
Power Cord



High Working
Pressure
0.8Mpa



High Precision
Thermostat &
Cut Out



Dual Safety
Adapter

SAVES



High Density
PUF Insulation



Whirlflow
Technology



Dual
Adjustable
Knobs

LONG LIFE






Ferroglass Coated
Inner Container



Heavy Duty
Protective
Anode Rod

ORAZIO PRIME



Capacity	10 L	15 L	25 L
A	425 mm	425 mm	482 mm
B	275 mm	331 mm	363 mm
C	289 mm	345 mm	373 mm
D	68 mm	68 mm	68 mm

ORAZIO Prime

ELECTRIC STORAGE WATER HEATER



CAPACITY : 10, 15 L & 25 L
COLOR : WHITE GREY



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*



FASTER



Mcoloy Heating
Element

SAFER



Fire Retardant
Power Cord

SAVES



High Density
PUF Insulation

LONG LIFE



Ferroglass Coated
Inner Container



High Working
Pressure
0.8Mpa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod



High Precision
Thermostat &
Cut Out



Temperature
setting knob



Dual Safety
Adapter


*In case of Tank leakage

25

ENGINEERED FOR HARD WATER

VELORA+

DUAL ELEMENT



Capacity	10 L	15 L	25 L
A	328 mm	328 mm	378 mm
B	426 mm	526 mm	564 mm
C	352 mm	352 mm	405 mm
D	163 mm	163 mm	163 mm

Velora⁺

Dual Element

ELECTRIC STORAGE WATER HEATER



33%*
FASTER HEATING

CAPACITY : 10, 15 L & 25 L
COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



5 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*



FASTER



Dual Element
With 3 Heating
Modes



Incoloy Glass
Coated Heating
Element

SAFER



Fire Retardant
Power Cord



High Working
Pressure
0.8Mpa



High Precision
Thermostat &
Cut Out



Dual Safety
Adapter

SAVES



High Density
PUF Insulation



Whirlflow
Technology



Dual
Adjustable
Knobs

LONG LIFE




Ferroglass Coated
Inner Container



Heavy Duty
Protective
Anode Rod

*In case of Tank leakage

VELORA PRIME



Capacity	10 L	15 L	25 L
A	328 mm	328 mm	378 mm
B	426 mm	526 mm	564 mm
C	352 mm	352 mm	405 mm
D	163 mm	163 mm	163 mm

Velora Prime

ELECTRIC STORAGE WATER HEATER



CAPACITY : 10, 15 L & 25 L
COLOR : WHITE BLUE



2 YEAR COMPREHENSIVE WARRANTY



4 YEAR WARRANTY ON HEATING ELEMENT



7 YEAR PRODUCT REPLACEMENT WARRANTY*



FASTER



Mcoloy Heating Element

SAFER



Fire Retardant Power Cord

SAVES



High Density PUF Insulation

LONG LIFE



Ferroglass Coated Inner Container



High Working Pressure 0.8Mpa



Whirlflow Technology



Heavy Duty Protective Anode Rod



High Precision Thermostat & Cut Out




Temperature setting knob



Dual Safety Adapter

*In case of Tank leakage

VELORA PRO



Capacity	10 L	15 L	25 L
A	328 mm	328 mm	378 mm
B	401 mm	501 mm	553 mm
C	338 mm	338 mm	390 mm
D	163 mm	163 mm	163 mm



CAPACITY : 10, 15 L & 25 L
 COLOR : WHITE BLUE



2 YEAR
 COMPREHENSIVE
 WARRANTY



4 YEAR WARRANTY
 ON HEATING
 ELEMENT



7 YEAR PRODUCT
 REPLACEMENT
 WARRANTY*



FASTER



Mcoloy Heating
 Element

SAFER



Fire Retardant
 Power Cord

SAVES



High Density
 PUF Insulation

LONG LIFE



Ferroglass Coated
 Inner Container



High Working
 Pressure
 0.8Mpa



Whirlflow
 Technology



Heavy Duty
 Protective
 Anode Rod





High Precision
 Thermostat &
 Cut Out



Dual Safety
 Adapter

*In case of Tank leakage

FABIA SLIM



Capacity	10 L	15 L	25 L
A	311mm	311 mm	322 mm
B	425 mm	555 mm	720 mm
C	190 mm	320 mm	250 mm
D	217 mm	217 mm	217 mm

FABIA

SLIM

ELECTRIC STORAGE WATER HEATER



AVAILABLE IN LH & RH
CONFIGURATION

CAPACITY : 10, 15 L & 25 L

COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*



25 L - 3 STAR

FASTER



Incoloy Glass
Coated Heating
Element

SAFER



Fire Retardant
Power Cord

SAVES



High Density
PUF Insulation

LONG LIFE



Ferroglass Coated
Inner Container



High Working
Pressure
0.8Mpa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod



High Precision
Thermostat &
Cut Out






Temperature
setting knob



Dual Safety
Adapter

*In case of Tank leakage

PURO



Capacity	6 L
A	271 mm
B	425 mm
C	258 mm
D	62 mm



CAPACITY : 6 L
COLOR : WHITE



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*



FASTER



Incoloy Glass
Coated Heating
Element

SAFER



Fire Retardant
Power Cord

SAVES



High Density
PUF Insulation

LONG LIFE



Ferroglass Coated
Inner Container



High Working
Pressure
0.8Mpa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod



High Precision
Thermostat &
Cut Out






Temperature
setting knob



Dual Safety
Adapter

*In case of Tank leakage

INSTANIO PRIME



Capacity	3 L
A	214 mm
B	352 mm
C	100 mm
D	219 mm

Instanio

PRIME

ELECTRIC INSTANTANEOUS WATER HEATER



CAPACITY : 3 L
COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



3 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR WARRANTY
ON INNER
CONTAINER



Heavy duty
Heating element



Ferroglass Coated
Inner Container



Color
Changing
LED Indicator



High Working
Pressure
0.8Mpa



Fire Retardant
Power Cord



High Precision
Pre calibrated
thermostat






Rust & shock
proof outer body



Heavy Duty
Protective
Anode Rod

ZENO



Capacity	3 L
A	184 mm
B	331 mm
C	180 mm
D	67 mm



CAPACITY : 3 L
COLOR : WHITE BROWN

2 YEAR
COMPREHENSIVE
WARRANTY

2 YEAR WARRANTY
ON HEATING
ELEMENT

5 YEAR WARRANTY
ON INNER
CONTAINER

 Heavy duty
Heating element

 SS 304 L
Inner Tank

 Bi-Color LED
Indicator

 6.5 bar
94 psi
0.65 MPa
0.65 MPa
High working
pressure

 Fire Retardant
Power Cord

 55 °C
High Precision
Pre calibrated
thermostat

 Rust & shock
proof outer body



Fans



Small Domestic Appliances



Kitchen Appliances



Consumer Lighting



Water Heater



Water Purifiers



Personal Grooming



Air Coolers



Switches & Automation



Accessories



Wire & Cables



Solar



Building Circuit Protection



Pumps & Motors



Industrial Products



SCAN TO
KNOW MORE

Havells India Ltd.

QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-120-3331000

CIN - L31900DL1983PLC016304.

Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.

"Actual products may vary in colour, design, description and colour combination etc. Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication. Specifications & performance data are constantly changing."

